

Megapixel IP Camera-TE-IP511B/TE-IP811B



Main Features:

- H.264 compression, Dual streaming: 960P+CIF/1080P+CIF
- Motion detection, Alarm linkage, Record linkage
- High definition picture, Resolution: 1280×960/2592×1920
- High quality with stable performance
- HD CS Fixed Lens: 8mm (6mm/12mm optional)
- 1 Array Led, IR distance: 30m
- IR CUT filter
- Support USB storage and BNC output

Specifications

| Model | TE-IP511B | TE-IP811B |
|------------------|--|---|
| Image Sensor | 1/2.5",5-Megapixel CMOS | |
| Resolution | Main Stream: 1280×960,1280×720; Sub Stream: 320×240,352×192; | MainStream:2592×1920,2048×1536,1920×1080,1600×1200,1280×1024,1280×960,1024×768, 1280×720;Sub Stream:320×240,352×192,320×192,288×192,256×192; |
| Lens | HD CS Fixed Lens: 8mm (6mm/12mm optional) | |
| System Structure | Embedded RTOS design, Dual-core 32 bit DSP, Hard Compression, Watch Dog,32M FLASH,128M DDR2; | |
| Video | H.264 compression, Dual streaming, AVI format, Code Stream: 2M~6Mbps, Frame Rate:1~30fps | |
| Audio | No | |
| Network Port | 1 RJ45 10/100M self-adaptive | |
| Network Protocol | FTP/PPPOE/DHCP/DDNS/NTP/UPnP ,etc | |
| External Port | BNC、USB | |
| IR | 1 Array Led | |
| IR Distance | 30M | |
| Front Storage | 1 USB Port, Max support 64G,Front storage | |
| Main Functions | Motion detection alarm/storage linkage, OSD, UC software | |
| Power Supply | DC12V/1.5A | |