


FERRITE MATERIAL:K5B (RMS-303)													
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK							
				25MHz	100MHz								
				RRH-25-8-40	2.50		4.00	0.80	33	52	4,000		
RRH-25-8-70	7.00	55	85										
RRH-30-10-30	3.00	3.00	1.00	25	47	2,000							
RRH-30-12-30			1.20	23	44								
RRH-30-10-40		4.00	32	51									
RRH-30-10-60	6.00	1.00	46	74									
RRH-35-8-35	3.50	3.50	0.80	37	62		4,000						
RRH-35-12-35			1.20	26	45								
RRH-35-18-35			1.80	19	37								
RRH-35-10-40	4.00	1.00	32	55	2,000								
RRH-35-12-40		1.20	31	46									
RRH-35-13-40		1.30	29	48									
RRH-35-15-40	1.50	25	43										
RRH-35-8-45	4.50	0.80	46	86				4,000					
RRH-35-8-47	4.70		77										
RRH-35-8-50	5.00	50	85	2,000									
RRH-35-12-50		1.20	37						55				
RRH-35-13-50		1.30	61										
RRH-35-15-50	1.50	33	51						4,000				
RRH-35-18-50	1.80	27	48										
RRH-35-8-60	3.50	0.80	57							92	2,000		
RRH-35-10-60		1.00	53							75			
RRH-35-12-60		1.20	45			73							
RRH-35-13-60	6.00	1.30	43			64				4,000			
RRH-35-15-60		1.50	35			60							
RRH-35-18-60		1.80	28			54							
RRH-35-12-70	7.00	1.20	54			84	2,000						
RRH-35-8-75	7.50	69	114										
RRH-35-8-80	8.00	0.80	77			134						4,000	
RRH-35-10-80		1.00	78		111								
RRH-35-8-90	9.00	0.80	93		158	2,000							
RRH-35-13-90		1.30	62		80								
RRH-35-8-95	9.50	84	133		1,000								
RRH-35-8-140	14.00	0.80	144					212					
RRH-40-15-40	4.00	1.50	26					51					2,000
RRH-40-20-40		2.00	24	48									
RRH-40-15-50	5.00	1.50	35	54				4,000					
RRH-40-20-50		28	51										
RRH-40-20-60	6.00	30	49	2,000									
RRH-40-20-70		40	64										
RRH-40-20-80	7.00	39	58						4,000				
RRH-40-15-100		0.05	65								91		
RRH-40-20-100	10.00	53	80								2,000		
RRH-40-20-120		52	76										
RRH-40-20-150	12.00	70	97							4,000			
RRH-40-20-170		15.00	79										

FERRITE MATERIAL:K5B (RMS-303)														
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK								
				25MHz	100MHz									
				RRH-45-25-48	4.50		4.80	2.50	21	41	2,000			
RRH-45-25-70	7.00	32	55											
RRH-45-26-120	4.60	12.00	2.60	49	72	1,000								
RRH-46-20-110		11.00	2.00	65	104									
RRH-48-23-64	4.83	6.35	2.29	43	80		500							
RRH-50-23-50	5.00	5.00	2.30	30	55									
RRH-50-16-62		6.20	1.60	56	91									
RRH-50-24-64		6.35	2.36	32	50									
RRH-50-23-100	5.00	10.00	2.30	51	72			1,000						
RRH-50-15-110		11.00	1.50	84	119									
RRH-50-22-120		12.00	2.15	69	108									
RRH-50-22-180	5.70	18.00	1.50	128	147				500					
RRH-50-15-200		20.00	158	221										
RRH-57-15-80	8.00	76	111	1,000										
RRH-60-30-100	6.00	10.00	3.00		52					90				
RRH-60-40-100		4.00	27		48									
RRH-60-40-128	6.00	12.80	4.00		34					54		500		
RRH-60-32-180		18.00	3.15		100					155				
RRH-60-30-250		25.00	3.00		120					175				
RRH-64-33-127	6.35	12.70	3.30		55					80			1,000	
RRH-64-33-158		15.80	76		101									
RRH65-43-100	6.50	10.00	4.30		34					62	2,000			
RRH-65-43-110		11.00	38		63									
RRH-75-24-75	7.50	7.50	2.40		60	102				1,000				
RRH-79-30-100	7.90	10.00	3.00		68	108								
RRH-79-40-128		12.80	4.00		66	107								
RRH-79-30-190	8.00	19.00	3.00		130	190	500							
RRH-80-60-90		9.00	6.00		23	47								
RRH-80-60-98	8.00	9.80	6.00		22	41		300						
RRH-80-40-100		10.00	4.00		48	71								
RRH-80-32-101		10.06	3.18		67	115								
RRH-80-60-120	9.30	12.00	6.00		25	45			500					
RRH-80-50-160		16.00	5.00		59	104								
RRH93-45-95	9.50	9.50	4.50	53	98	300								
RRH-93-58-110		11.00	5.80	37	62									
RRH-95-48-95	9.50	9.50	4.80	50	86									500
RRH-95-52-95		5.20	45	76										
RRH-95-52-100	10.00	5.80	48	74	300									
RRH-95-58-100		5.80	38	68										
RRH-95-50-104	9.50	10.40	5.00	53								81	500	
RRH-95-48-127		12.70	4.80	56								80		
RRH-95-50-145	14.50	75	121	300										
RRH-95-50-160		72	114											
RRH-95-50-190	16.00	95	135							500				
RRH-95-50-195		19.00	98								153			
RRH-96-51-159	9.52	15.88	5.08								74	103		

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.


INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC. WWW.RICHCO-INC.COM		ALL DIMENSIONS IN MM GENERAL TOLERANCES ±0.25 UNLESS OTHERWISE STATED 1 DECIMAL PLACE ± 2 DECIMAL PLACES ± ANGULAR ±1°	THIRD ANGLE
MATERIAL: See Table		COLOUR: See Table	
DESCRIPTION: RRH Solid Ferrite Cores		PART No: See Table	
DRG No: 06-055	NPR No:	Mass:(g)	SHEET SIZE A3
DRN NJB	DATE 30/05/06	CHKD AS	DATE 30/05/06
SCALE NTS		SHEET No. 1 OF 13	

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-98-8-114	9.80	11.40	0.80	167	256	200	
RRH-98-67-135		13.50	6.70	43	91	500	
RRH-98-67-191		19.05		51	88	300	
RRH-100-50-100	10.00	10.00	5.00	54	85	500	
RRH-100-60-100		10.00	6.00	38	66		
RRH-100-70-100			7.00	31	57		
RRH-100-60-140	14.00	6.00	45	73	200		
RRH-105-55-200	10.50	20.00	5.50	95	138	150	
RRH-105-55-250		25.00		106	173		
RRH-110-50-160	11.00	16.00	5.00	87	138	200	
RRH-110-50-185		18.50		113	178		
RRH-110-50-200		20.00		106	154		
RRH-110-50-250		25.00		145	230		400
RRH-115-50-185	11.50	18.50	4.30	101	146	100	
RRH-115-43-200		20.00		148	210		
RRH-115-43-260		26.00		190	270		
RRH-118-73-150	11.80	15.00	7.30	61	109	200	
RRH-120-70-120	12.00	12.00	7.00	46	76	300	
RRH-120-85-120		12.00	8.50	39	75	200	
RRH-120-56-150			5.60	79	124		
RRH-120-70-150		15.00	7.00	60	92	100	
RRH-120-85-150			8.50	45	85		
RRH-120-56-200		20.00	5.60	119	175	165	
RRH-120-73-200			7.30	69	108	100	
RRH-120-35-230		23.00	3.50	207	326	110	
RRH-120-56-300			30.00	5.60	180		260
RRH-122-79-203		12.20	23.00	7.90	67	108	100
RRH-123-70-200	12.30	20.00	7.00	72	137	165	
RRH-123-49-254	12.32	25.40	4.88	172	264	100	
RRH-125-80-125	12.50	12.50	8.00	42	72	200	
RRH-125-52-150		15.00	5.20	95	145		
RRH-127-79-127		12.70	12.70	7.90	43		60
RRH-140-90-150	14.00	15.00	9.00	48	82	200	
RRH-142-64-150	14.20	15.00	6.35	92	146	110	
RRH-142-70-150			7.00	78	116		
RRH-142-80-150		8.00	63	107			
RRH-142-64-180		18.00	6.35	99	141		100
RRH-142-70-235		23.50	7.00	127	204		110
RRH-142-64-285			6.35	164	255		
RRH-142-70-285		28.50	7.00	143	243		110
RRH-142-80-285			8.00	128	195		
RRH-149-70-190	14.99	19.00	6.99	107	171	128	
RRH-149-70-279		27.94		151	237	110	

FERRITE MATERIAL:K5B (RMS-303)							
PART NUMBER	A	B	C	IMPEDANCE (Ω)		STANDARD PACK	
				25MHZ	100MHZ		
RRH-153-102-285	15.20	28.50	10.20	81	128	99	
RRH-153-90-170	15.25	17.00	9.00	53	103	120	
RRH-153-80-280		28.00	8.00	122	180	99	
RRH-157-70-286	15.65	28.57	6.99	164	258		
RRH-158-79-160	15.80	16.00	7.90	84	132	100	
RRH-159-79-286	15.88	28.57	7.87	148	241	99	
RRH-160-90-200	16.00	2.00	9.00	98	124	112	
RRH-160-80-160		16.00	8.00	77	116	100	
RRH-160-90-170		16.00	17.00	9.00	61	115	120
RRH-160-43-175			17.50	4.30	92	213	126
RRH-160-70-200		20.00	7.00	111	163	96	
RRH-160-70-280				174	247		
RRH-160-90-280		28.00	9.00	104	178	99	
RRH-160-100-280			10.00	91	156		
RRH-160-90-285		28.50	9.00	105	195	88	
RRH-171-88-254		17.07	25.40	8.76	122		180
RRH-175-80-285	17.50	28.50	8.00	139	203		
RRH-175-83-285			8.30	143	242		
RRH-175-95-285			9.50	115	170		
RRH-175-107-285	17.50	28.50	10.70	90	150		
RRH-175-95-350			35.00	9.50	152	253	
RRH-180-100-180	18.00	18.00		80	135	100	
RRH-180-100-280		28.00		124	209	88	
RRH-180-100-290	29.00		128	210			
RRH-186-102-250	18.67	25.00	10.16	115	178	77	
RRH-186-102-286		28.57		117	171		
RRH-190-130-290	19.00	29.00	13.00	60	105	40	
RRH-190-58-315		31.50	5.80	243	323		
RRH-190-58-350		35.00	272	340			
RRH-190-63-350	19.00	28.57	6.30	242	324	32	
RRH-259-128-286			25.91	12.83	127		195
RRH-280-160-280	28.00	28.00	16.00	110	169	24	
RRH-285-138-286	28.50	28.57	13.77	158	250	24	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	30/05/06	NJB
02	CO2010989	09/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



- NOTES.**
- See drawing 06-055 sheets 3 to 13 of 13 for Impedance graphs.
 - Impedance figures are typical values.
 - Other sizes available by special order.
 - Packaging information is only a guide & subject to variation.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

ALL DIMENSIONS IN MM
GENERAL TOLERANCES ±0.25
UNLESS OTHERWISE STATED
1 DECIMAL PLACE ±
2 DECIMAL PLACES ±
ANGULAR ±1°

THIRD ANGLE















MATERIAL: See Table
COLOUR: See Table

DESCRIPTION: RRH Solid Ferrite Cores
PART No: See Table

DRG No: 06-055
NPR No:
Mass:(g) SHEET SIZE A3

DRN NJB
DATE 30/05/06
CHKD AS
DATE 30/05/06
SCALE SHEET No. 2 OF 13

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	12/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.


RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.


DRG No: 06-055				SHEET SIZE A3
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06	SCALE NTS
			SHEET No. 3 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF


RRH-35-15-40




RRH-35-15-50




RRH-35-15-60




RRH-35-18-35




RRH-35-18-50




RRH-35-18-60




RRH-40-15-40




RRH-40-15-50




RRH-40-15-100




RRH-40-20-40




RRH-40-20-50




RRH-40-20-60



RRH-40-20-70



RRH-40-20-80



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 4 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/10	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 5 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 6 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 7 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 8 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 9 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 10 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.















INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 11 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011293	16/11/12	SF



NOTES.
1) Impedance figures are typical values.












INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	DATE 19/06/06
SCALE NTS		SHEET No. 12 OF 13	

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	19/06/06	NJB
02	CO2010989	13/09/10	SF
03	CO2011123	24/03/11	SF
04	CO2011253	13/04/12	SF
05	CO2011268	12/06/12	SF
06	CO2011268	12/06/12	SF



NOTES.
1) Impedance figures are typical values.

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT.

RICHCO, INC.
WWW.RICHCO-INC.COM

DESCRIPTION:
RRH Solid Ferrite Cores, Impedance Graphs.

DRG No: 06-055		SHEET SIZE A3	
DRN NJB	DATE 19/06/06	CHKD AS	SCALE NTS
DATE 19/06/06		SHEET No. 13 OF 13	